

MERCRUISER™, ALPHA ONE™ • 110-190 HP

SEE FOOTNOTES ■ & ▼

Thru Hub Exhaust & 15 Tooth Spline

MODELS 1A, 1B, 1C	120-190 HP Mercruiser™1983-85	3.0L (125-140 HP) Alpha One™ .1986 & Newer
MODELS 120, 140, 145 DTS	2.5 L (120 HP) Alpha One™1986-89	3.7 L (165-190 HP) Alpha One™ .1986-89
MODELS 165, 228, 470, 485, 888, 898		

Boat Length - (MPH)										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH
21-26' - (18-31)	15-1/4 R 15	3	AL		992002		14-1/4 x 15	3	993002	993012
19-23' - (27-37)	15 R 17	3	AL		992003		14-1/4 x 17	3	993003	993013
17-21' - (33-42)	14-1/2 R 19	3	AL		992004		14-1/4 x 19	3	993004	993014
Up to 19' - (37-46)	14-1/4 R 21	3	AL		992005		14-1/4 x 21	3	993005	993015
Up to 18' - (40-50)	14 R 23	3	AL		992006		14-1/4 x 23	3	993006	993016
							14-1/4 x 25	3	993007	993017
19-23' - (26-34)	15 R 16	4	AL		992202					
17-21' - (32-39)	14-1/2 R 18	4	AL		992203					
	14 R 20	4	AL		992204					

Use XHS™
Hub Kit
102

Boat Length - (MPH)										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH
Non-Plane Heavy CR	16 R 11	3	AL	48-78112A40	031021					
Non-Plane Heavy CR	16 R 12	3	AL	48-16436A40	031063					
Non-Plane Heavy CR	16 R 13	3	AL	48-78114A40	031022					
21-26' - (17-28)	16 R 14	3	AL	48-16438A40	031050					
21-26' - (18-31)	15-1/4 R 15	3	AL	48-78116A40	031023		14-7/8 x 15	3	■345131	
21-26' - (18-31)	14-1/2 R 15	3	SS	48-16312A4	033002					
19-23' - (26-34)	16 R 16	3	AL	48-16440A40	031051					
19-23' - (27-37)	14-1/2 R 17	3	AL	48-78118A40	031024		14-3/4 x 17	3	■345132 ■345163	
19-23' - (27-37)	14-1/2 R 17	3	SS	48-16314A4	033003					
19-23' - (27-37)	15 R 17	3	AL	48-832828A45	●031064					
17-21' - (32-39)	15-1/2 R 18	3	AL	48-11324A45	031052					
17-21' - (33-42)	14 R 19	3	AL	48-78120A40	031025		14-1/2 x 19	3	■345133 ■345163	
17-21' - (33-42)	14 R 19	3	SS	48-16316A4	033004					
17-21' - (33-42)	14-1/2 R 19	3	AL	48-832830A45	●031065					
Up to 19' - (37-46)	13-3/4 R 21	3	AL	48-78122A40	031026		14-3/8 x 21	3	■345134 ■345164	
Up to 19' - (37-46)	13-3/4 R 21	3	SS	48-16318A4	033005					
Up to 19' - (37-46)	14-1/4 R 21	3	AL	48-832832A45	●031066					
Up to 18' - (40-50)	13-1/2 R 23	3	AL	48-78124A40	031027		14-1/4 x 23	3	■345135 ■345165	
Up to 18' - (40-50)	13-1/2 R 23	3	SS	48-16320A4	033006					
Up to 18' - (40-50)	14 R 23	3	AL	48-832834A45	●031068					
Up to 18' - (43-55)	13-3/8 R 25	3	AL	48-78126A40	031067		14-1/4 x 25	3	■345136	
16-19' High Perf.	(Lifting Hull)						14-1/2 x 22	3	■345141 (XL)	
15-18' High Perf.	(Lifting Hull)						14-1/2 x 24	3	■345137 (XL)	
Up to 17' High Perf.	(Lifting Hull)						14-1/2 x 26	3	■345138 (XL)	

Rubber
Hub
Bushing

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

- When replacing Flo-Torq II™ plastic hub props, aft castle thrust washer 12-31211A2 and conductivity (start) washer 13-42351-1 are required in addition to the other hardware supplied with original propeller. For complete details, see page 22. All suggestions are based upon single engine boats. Add 4" of pitch for twin applications.
- ▼ Caution: Use standard trim tab 34127A1 (except for Rapture™ and Ballistic™ use 822777A1) and forward thrust washer 13191A1.
- Larger blade area design used primarily on 1997 and newer applications.
- When using Rapture™ and Ballistic™ propellers, to avoid damage or injury, replace standard trim tab with trim tab 822777A1 and use forward thrust washer 12-835467.

MERCRUISER™, ALPHA ONE™, BRAVO ONE™ • 200-320 HP Thru Hub Exhaust & 15 Tooth Spline

SEE FOOTNOTES ■ & ▼

MODELS 225S, 233, 255TRS . . .	5.0 L (180-240 HP) Alpha One™ 1986 & Newer	6.2 MPI (320 HP) Alpha One™ . .2001
MODELS 260, 280TRS, 330TRS .	5.7 L (210-260 HP) Alpha One™ 1986 & Newer	5.0 L (220-240 HP) Bravo One™ .1998 & Newer
200-260 HP Mercruiser™1983-85	262 Magnum (205 HP) Alpha One™ 1986 & Newer	5.7 L (210-280 HP) Bravo One™ .1995 & Newer
4.3 L (155-210 HP) Alpha One™ .1986 & Newer	350 Magnum (240-300 HP)1987 & Newer	350 Magnum (300 HP) Bravo One™ 1996 & Newer

Boat Length/Description										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH
23-28' - (19-38)	15-1/4 R 15	3	AL		992002		14-1/4 x 15	3	993002	993012
21-26' - (29-45)	15 R 17	3	AL		992003		14-1/4 x 17	3	993003	993013
19-25' - (35-49)	14-1/2 R 19	3	AL		992004		14-1/4 x 19	3	993004	993014
17-23' - (41-56)	14-1/4 R 21	3	AL		992005		14-1/4 x 21	3	993005	993015
Up to 20' - (47-62)	14 R 23	3	AL		992006		14-1/4 x 23	3	993006	993016
							14-1/4 x 25	3	993007	993017
22-26' - (26-35)	15 R 16	4	AL		992202					
21-25' - (34-42)	14-1/2 R 18	4	AL		992203					
	14 R 20	4	AL		992204					

Use XHS™
Hub Kit
102

Boat Length - (MPH)										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH
Non-Plane Heavy CR	16 R 11	3	AL	48-78112A40	031021					
Non-Plane Heavy CR	16 R 12	3	AL	48-16436A40	031063					
HB - (18-26)	16 R 13	3	AL	48-78114A40	031022					
23-27' - (18-31)	16 R 14	3	AL	48-16438A40	031050					
23-28' - (19-38)	15-1/4 R 15	3	AL	48-78116A40	031023		14-7/8 x 15	3	■345131	
23-28' - (19-38)	14-1/2 R 15	3	SS	48-16312A4	033002					
22-26' - (26-35)	16 R 16	3	AL	48-16440A40	031051					
21-26' - (29-45)	14-1/2 R 17	3	AL	48-78118A40	031024		14-3/4 x 17	3	■345132 ■345162	
21-26' - (29-45)	14-1/2 R 17	3	SS	48-16314A4	033003					
21-26' - (29-45)	15 R 17	3	AL	48-832828A45	●031064					
21-25' - (34-42)	15-1/2 R 18	3	AL	48-11324A45	031052					
19-25' - (35-49)	14 R 19	3	AL	48-78120A40	031025		14-1/2 x 19	3	■345133 ■345163	
19-25' - (35-49)	14 R 19	3	SS	48-16316A4	033004					
19-25' - (35-49)	14-1/2 R 19	3	AL	48-832830A45	●031065					
17-23' - (41-56)	13-3/4 R 21	3	AL	48-78122A40	031026		14-3/8 x 21	3	■345134 ■345164	
17-23' - (41-56)	13-3/4 R 21	3	SS	48-16318A4	033005					
17-23' - (41-56)	14-1/4 R 21	3	AL	48-832832A45	●031066					
Up to 20' - (47-62)	13-1/2 R 23	3	AL	48-78124A40	031027		14-1/4 x 23	3	■345135 ■345165	
Up to 20' - (47-62)	13-1/2 R 23	3	SS	48-16320A4	033006					
Up to 20' - (47-62)	14 R 23	3	AL	48-832834A45	●031068					
Up to 18' - (47-65)	13-3/8 R 25	3	AL	48-78126A40	031067		14-1/4 x 25	3	■345136	
High Performance (Lifting Hull)							14-1/2 x 22	3	■345141 (XL)	
High Performance (Lifting Hull)							14-1/2 x 24	3	■345137 (XL)	
High Performance (Lifting Hull)							14-1/2 x 26	3	■345138 (XL)	

Rubber
Hub
Bushing

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

- When replacing Flo-Torq II™ plastic hub props, aft castle thrust washer 12-31211A2 and conductivity (start) washer 13-42351-1 are required in addition to the other hardware supplied with original propeller. For complete details, see page 22. All suggestions are based upon single engine boats. Add 4" of pitch for twin applications.
- ▼ Caution: Use standard trim tab 34127A1 (except for Rapture™ and Ballistic™ use 822777A1) and forward thrust washer 13191A1.
- Larger blade area design used primarily on 1997 and newer applications.
- When using Rapture™ and Ballistic™ propellers, to avoid damage or injury, replace standard trim tab with trim tab 822777A1 and use forward thrust washer 12-835467.

ALPHA ONE™ 1987 & NEWER • 365 HP & LOWER • (RUBBER HUB) See Footnotes ■ & ▼

Thru Hub Exhaust & 15 Tooth Spline

5.0 L (250 HP)1988 & Newer	454 Magnum (330 HP)1987	D 3.6 L (Diesel)1990 & Newer
5.7 L (250-260 HP)1995 & Newer	D 2.8 L (Diesel)1997 & Newer	D 3.0 L (Diesel)1990-96
320 EFI (320 HP)1987-89	D 4.2 L (Diesel)1990 & Newer	D 7.3 L (Diesel)1998 & Newer
350 Magnum (240-280 HP)1987 & Newer		

Boat Length/Description										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.	Dia. x Pitch	Bld#	RH	LH	
23-28' - AL						14-7/8 x 15	3	■345131		Rubber Hub Bushing
21-26' - AL, SK						14-3/4 x 17	3	■345132		
21-26' - AL, SK						14-3/4 x 17	3	■345162		
22-25' - AL, SK	15-1/4 R 19	3	SS	48-13700A41	■033030	14-1/2 x 19	3	■345133		
22-25' - AL, SK	15-1/4 L 19	3	SS	48-13701A41	■033029	14-1/2 x 19	3	■345163		
21-23' - AL, SK	14-3/4 R 21	3	SS	48-13702A41	■033032	14-3/8 x 21	3	■345134		
21-23' - AL, SK	14-3/4 L 21	3	SS	48-13703A41	■033031	14-3/8 x 21	3	■345164		
Up to 22' - AL, SK	14-5/8 R 23	3	SS	48-13704A41	■033034	14-1/4 x 23	3	■345135		
Up to 22' - AL, SK	14-5/8 L 23	3	SS	48-13705A41	■033033	14-1/4 x 23	3	■345165		
Up to 20' - AL, SK	14-1/2 R 25	3	SS	48-13706A41	■033036	14-1/4 x 25	3	■345136		
Up to 20' - AL, SK	14-1/2 L 25	3	SS	48-13707A41	■033035					

BRAVO ONE™ 1988 & NEWER • 365 HP & LOWER • (RUBBER HUB) See Footnotes ■ & ▼

Thru Hub Exhaust & 15 Tooth Spline

5.7 L (250-280 HP)1995 & Newer	350 Magnum (300 HP)1996 & Newer	7.4 L (300-330 HP)1988 & Newer
320 EFI (320 HP)1988-89	454 Magnum (350-365 HP)1988 & Newer	

Boat Length/Description										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.	Dia. x Pitch	Bld#	RH	LH	
23-28' - AL						14-7/8 x 15	3	■345131		Rubber Hub Bushing
21-26' - AL, SK						14-3/4 x 17	3	■345132		
21-26' - AL, SK						14-3/4 x 17	3	■345162		
25-30' - AL, SK	15-1/4 R 19	3	SS	48-13700A41	■033030	14-1/2 x 19	3	■345133		
25-30' - AL, SK	15-1/4 L 19	3	SS	48-13701A41	■033029	14-1/2 x 19	3	■345163		
23-27' - AL, SK	14-3/4 R 21	3	SS	48-13702A41	■033032	14-3/8 x 21	3	■345134		
23-27' - AL, SK	14-3/4 L 21	3	SS	48-13703A41	■033031	14-3/8 x 21	3	■345164		
22-25' - AL, SK	14-5/8 R 23	3	SS	48-13704A41	■033034	14-1/4 x 23	3	■345135		
22-25' - AL, SK	14-5/8 L 23	3	SS	48-13705A41	■033033	14-1/4 x 23	3	■345165		
21-24' - AL, SK	14-1/2 R 25	3	SS	48-13706A41	■033036	14-1/4 x 25	3	■345136		
21-24' - AL, SK	14-1/2 L 25	3	SS	48-13707A41	■033035					

BRAVO ONE™ • OVER 365 HP • (SOLID HUB) See Footnotes ■ & ▼

Thru Hub Exhaust & 15 Tooth Spline

454 Magnum (385 HP)1995 & Newer	450 HP1995	500 HP1996 & Newer
502 Magnum (390-415 HP)1990 & Newer	465 HP1991 & 94	525 HP (SC) (490-500)1992 & Newer

Boat Length/Description										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.					
26-32'	15-1/4 R 19	3	SS	48-13242A50	■033052					Rubber Hub Bushing
24-30'	14-3/4 R 21	3	SS	48-13244A50	■033054					
24-30'	14-3/4 L 21	3	SS	48-13243A50	■033053					
23-28'	14-5/8 L 23	3	SS	48-13245A50	■033055					
21-26'	14-1/2 R 25	3	SS	48-13248A50	■033058					
21-26'	14-1/2 L 25	3	SS	48-13247A50	■033057					

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

- When replacing Flo-Torq II™ plastic hub props, aft castle thrust washer 12-31211A2 and conductivity (start) washer 13-42351-1 are required in addition to the other hardware supplied with original propeller. For complete details, see page 22. All suggestions are based upon single engine boats. Add 4" of pitch for twin applications.
- ▼ Wave Propellers used on Alpha One™ drives require use of anodic plate 76214A5 or high performance trim tab 822777A1 in place of standard trim tab.
- LIMITED INVENTORY ITEMS.
- Solid Hub Wave Propellers include forward thrust washer 9500-120 and should be used in place of the existing one.
- ※ When using Rapture™ and Ballistic™ propellers, to avoid damage or injury, replace standard trim tab with trim tab 822777A1 and use forward thrust washer 12-835467.

MERCRUISER - MODEL O

Thru Hub Exhaust & 11 Tooth Spline

HP Range: 60 HP

For twin installation increase pitch 2".

Boat Length/Description	MICHIGAN MATCH REPLACEMENT PROPELLERS								
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
HB, Barges	10-1/4 R 10	3	AL	48-33774A1	032084				Rubber Hub Bushing
22-35'	10-1/4 R 11	3	AL	48-38098A1	032085				
28-21'	10-1/4 R 12	3	AL	48-38094A1	032086				
Up to 17'	10-1/4 R 13	3	AL	48-38090A1	032087				

MERCRUISER I ('62-63) • MERCRUISER 80, 90

HP Range: 80-140 HP

For twin installation increase pitch 2".

Boat Length/Description	MICHIGAN MATCH REPLACEMENT PROPELLERS								
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
HB, Barges	13 R 11	3	AL	48-35936A3	032089				Rubber Hub Bushing
22-25'	13 R 13	3	AL	48-58826A3	032090				
20-23'	13 R 15	3	AL	48-32390A3	032091				
19-22'	13 R 17	3	AL	48-65022A1	032092				
18-21'	13 R 19	3	AL	48-65024A1	032093				
Up to 17'	13 R 21	3	AL	48-67280A1	032094				

MERCRUISER THRU 1982 • 110-330 HORSEPOWER

See Footnotes ■

Thru Hub Exhaust & 15 Tooth Spline

MODELS 1A, 1B, 1C, 120, 140, 145 DTS & 165

MODELS 228, 470, 485, 888, 898, 225S, 233, 255TRS, 260, 280 TRS & 330 TRS

Boat Length/Description	VORTEX PERFORMANCE PROPELLERS						RAPTURE ^{XHS}				
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
22-26' - AL	15-1/4 R 15	3	AL	48-79572A4	992002		14-1/4 x 15	3	993002	993012	Use XHS™ Hub Kit 102
21-25' - AL	15 R 17	3	AL	48-79572A4	992003		14-1/4 x 17	3	993003	993013	
20-24' - AL	14-1/2 R 19	3	AL	48-79574A4	992004		14-1/4 x 19	3	993004	993014	
19-23' - AL	14-1/4 R 21	3	AL	48-79576A4	992005		14-1/4 x 21	3	993005	993015	
18-22' - AL	14 R 23	3	AL	48-79578A4	992006		14-1/4 x 23	3	993006	993016	
Up to 17' - AL							14-1/4 x 25	3	993007	993017	
	15 R 16	4	AL		992202						
	14-1/2 R 18	4	AL		992203						
	14 R 20	4	AL		992204						

Boat Length/Description	MICHIGAN MATCH REPLACEMENT PROPELLERS						BALLISTIC [™] STAINLESS STEEL PROPS				
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
22-26' - AL							14-7/8 x 15	3	345131		Rubber Hub Bushing
21-25' - AL	15-3/4 R 17	3	AL	48-79572A4	▼031036		14-3/4 x 17	3	345132	345162	
21-25' - AL	15-3/4 R 17	3	SS		▼033007						
20-24' - AL	15-1/2 R 19	3	AL	48-79574A4	▼031037		14-1/2 x 19	3	345133	345163	
20-24' - AL	15-1/2 R 19	3	SS		▼033008						
19-23' - AL	15-1/4 R 21	3	AL	48-79576A4	▼031038		14-3/8 x 21	3	345134	345164	
19-23' - AL	15-1/4 R 21	3	SS		▼033009						
18-22' - AL	15 R 23	3	AL	48-79578A4	▼031039		14-1/4 x 23	3	345135	345165	
Up to 17' - AL							14-1/4 x 25	3	345136		

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

- When replacing Flo-Torq II™ plastic hub props, aft castle thrust washer 12-31211A2 and conductivity (start) washer 13-42351-1 are required in addition to the other hardware supplied with original propeller. For complete details, see page 22. All suggestions are based upon single engine boats. Add 4" of pitch for twin applications.
- ▼ Caution: Use standard trim tab 34127A1 (except for Rapture™ and Ballistic™ use 822777A1) and forward thrust washer 13191A1.
- ▶ LIMITED INVENTORY ITEMS.
- ※ When using Rapture™ and Ballistic™ propellers, to avoid damage or injury, replace standard trim tab with trim tab 822777A1 and use forward thrust washer 12-835467.

MERCRUISER THRU 1982 • 110-330 HORSEPOWER

See Footnotes ■

Thru Hub Exhaust & 19 Tooth Spline

Mercruiser II-TR, 215E & 215H, TR, Bravo Two

For twin installation increase pitch 2".

Boat Length/Description	MICHIGAN MATCH REPLACEMENT PROPELLERS								Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
25-34'	20 R 17	3	AL	48-77896A10	032113				
25-34'	20 L 17	3	AL	48-77897A10	032114				
25-30'	19-3/4 R 19	3	AL	48-77898A10	032115				
25-30'	19-3/4 L 19	3	AL	48-77899A10	032116				
22-28'	19-1/2 R 21	3	AL	48-77900A10	032117				
22-28'	19-1/2 L 21	3	AL	48-77901A10	032118				

OMC - OUTBOARD MARINE

STERNDRIVES

MODEL 400, COBRA®

Thru Hub Exhaust & 13 Tooth Spline

Model 400	Cobra®
2.3 L (120 HP)Thru 1991	2.3 L (128 HP)1988-91
2.5 L (120 HP)1978-84	2.5 L (120 HP)1985-87
3.0 L (140 HP)Thru 1989	3.0 L (140 HP)1985-87

Boat Length/Description	VORTEX ^{XHS} PERFORMANCE PROPELLERS						CAPTURE ^{XHS}				Use XHS™ Hub Kit 106 Do NOT use Gearcase Adapter Ring supplied with propeller.
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
19-22' - RB, SK	13-3/4 R 15	3	AL	391198	992103		13-1/4 x 15	3	993103		
18-21' - RB, SK	13-1/4 R 17	3	AL	391199	992104		13-1/4 x 17	3	993104		
17-20' - RB, SK	13 R 19	3	AL	390896	992105		13-1/4 x 19	3	993105		
15-18' - RB, SK	12-3/4 R 21	3	AL	389788	992106		13-1/4 x 21	3	993106		

Boat Length - (MPH)	MICHIGAN MATCH REPLACEMENT PROPELLERS						BALLISTIC [™] STAINLESS STEEL PROPS				Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
WB - (6-16)	14 R 11	3	AL	382761	012047						
CR, HB - (14-26)	14 R 13	3	AL	391668	011001						
19-22' - (24-37)	13-3/4 R 15	3	AL	391198	011002		13-5/8 x 15	3	335030		
19-22' - (24-37)	13-3/4 R 15	3	SS	389949	013028						
17-20' - (30-45)	13-1/4 R 17	3	AL	391199	011003		13-1/2 x 17	3	335031		
17-20' - (30-45)	13-3/8 R 17	3	SS	389948	013030						
17-20' - (30-45)	14 R 17	3	AL	176214	★011024						
16-19' - (36-50)	13 R 19	3	AL	390896	011006		13-3/8 x 19	3	335032		
16-19' - (36-50)	13 R 19	3	SS	389510	013033						
16-19' - (36-50)	14 R 19	3	AL	176215	★011025						
15-18' - (41-53)	12-3/4 R 21	3	AL	389788	011005		13-1/8 x 21	3	335033		
15-18' - (41-53)	12-3/4 R 21	3	SS	389512	013034						
15-18' - (41-53)	14 R 21	3	AL	176216	★011026						

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

★ Indicates a cupped propeller.