

2-4 HORSEPOWER

Non-Thru Hub Exhaust

2, 3.3 HP2000 & Newer 3-4 HP1952-73

Boat Length/Description							Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		
Std. Replacement	6-1/8 R 4-1/2	3	AL	203919	●012001		

5 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

5 HP1965-68

Boat Length/Description							Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		
12-14' - LL	8 L 7-1/2	3	AL	380104	012004		

5.5-6 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

5.5-6 HP1954-65

Boat Length/Description							Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		
14-16' - LL	7-3/4 R 6-1/2	3	AL		012067		
12-14' - LL	8 R 7-1/4	2	AL	376968	012060		

4-8 HORSEPOWER

Non-Thru Exhaust & Pin Drive

4 HP1980-83 4.5 HP Deluxe1986-95 6, 7.5, 8 HP1980 & Newer

Boat Length/Description							Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		
Heavy Boats, HB	8-1/2 R 7	3	AL	391096	012031		
Std. Replacement	8-1/2 R 9	3	AL	390237	012032		

10 HORSEPOWER

Non-Thru Hub Exhaust & 13 Tooth Splline

10 HP1951-57

Boat Length/Description							Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		
12-14' - AL	9 R 8	3	AL	277595	012006		

6-15 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

6 HP1966-79 10 HP1958-63 8-15 HP2000 & Newer
 9.5 HP1964-73 10, 12, 14 HP ***1982-94

Boat Length/Description							Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		
14-16' - LL	7-3/4 R 6-1/2	3	AL		012068		
14-16' - AL, SK	8-1/4 R 8	3	AL	387334	012008		
14-16' Runabouts	8-1/4 R 9	3	AL	391534	012101		
12-14' - LL	8 R 7-1/4	3	AL	376968	012005		
12-14' - LL	8-1/4 R 8-1/2	3	AL	377635	012007		

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

● Hub is not included.

*** Engines offered in European Market only

9.9-15 HORSEPOWER

Thru Hub Exhaust & 13 Tooth Spline

9.9-15 HP1974 7 Newer 8, 9.9, 15 HP (4-Stroke)1995 & Newer

Boat Length/Description										Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.					
Heavy Bts, SB	10	R	5	3	AL	386669	012113			
14-16' - AL, SK	10	R	7	3	AL	398126	012112			
Std. Replacement	9-1/2	R	10	3	AL	174950	012111			

15-25 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

15 HP1953-56 20 HP1969-73 25 HP1969-77
18 HP1957-73

Boat Length/Description										Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.					
CR, HB, SB	9-1/4	R	7	3	AL	388294	012102			
16-18' - HL	9	R	8	3	AL		012014			
Weedless	9	R	10	3	AL	592959	012076			
14-16' - HL	9	R	9	3	AL	379717	012109			
12-14' - HL	9	R	10	3	AL	383629	012011			
12-14' - LL	9-1/4	R	11	3	AL	388088	012013			
12-14' - LL	9-1/4	R	12	3	AL		012010			

14-28 HORSEPOWER

Non-Thru Hub Exhaust & 13 Tooth Spline

14 HP1989 25 HP §1978-91 28 HP1986-96
25 HP1978-84

Boat Length/Description									Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
16-18' - HL	9	R	9	3	AL	389068	012021		
16-18' - HL	9	R	9	3	AL		★011030		
15-17' - AL, SK	9	R	10	3	AL	389069	012015		
15-17' - AL, SK	9	R	10	3	AL		★011031		
14-17' - AL, SK	9-1/4	R	11	3	AL	388883	012016		
14-17' - LL	9-1/4	R	12	3	AL	389944	012030		

20-35 HORSEPOWER

Thru Hub Exhaust & 14 Tooth Spline

20 HP 2 Cyl.1984-97 25 HP 2 & 3 Cyl.1984 & Newer 35 HP 2 & 3 Cyl.1976 & Newer
25 HP (Commercial)1993 & Newer 30 HP 2 Cyl.1984 & Newer

Boat Length/Description	MICHIGAN MATCH REPLACEMENT PROPELLERS						BALLISTIC™ STAINLESS STEEL PROPS				Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM			Part No.	Dia. x Pitch	Bld#	RH	LH
CR, HB	11-1/4 R 7	3	AL	387320			012053				
CR, HB	11-1/4 R 7	3	AL				★011032				
17-20' - AL, SK	11 R 9	3	AL	386317			012054				
17-20' - AL, SK	11 R 9	3	AL				★011033				
16-18' - AL, SK	10-1/2 R 11	3	AL	175190			012055				
15-17' - AL, SK	10 R 13	3	AL	175191			012056	10-1/8 x 13	3	305029	
13-15' - AL, SK	10 R 15	3	AL	390380			012057	10-1/8 x 15	3	305030	

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

★ Indicates a cupped propeller.

20-35 HORSEPOWER

Thru Hub Exhaust & 14 Tooth Spline

20 HP 2 Cyl.1984-97 25 HP 2 & 3 Cyl.1984 & Newer 35 HP 2 & 3 Cyl.1976 & Newer
 25 HP (Commercial)1993 & Newer 30 HP 2 Cyl.1984 & Newer



Boat Length/Description									
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
17-20' - AL, SK	10-1/4 R 9	3	AL	386317	992501				Use XHS™ Hub Kit 118
17-20' - AL, SK	10-1/4 R 10	3	AL		992502				
16-18' - AL, SK	10-1/4 R 11	3	AL	175190	992503				
16-18' - AL, SK	10-1/8 R 12	3	AL		992504				
15-17' - AL, SK	10-1/8 R 13	3	AL	175191	992505				
13-15' - AL, SK	10-1/8 R 14	3	AL		992506				

NEW VORTEX™ - AVAILABLE SPRING OF 2004 SEASON.

25-40 HORSEPOWER

Thru Hub Exhaust & 13 Tooth Spline

25 HP1951-55 33 HP1965-70 40 HP1960-76
 28 HP1962-64 35 HP1957-59 40 HP §1978-85
 30 HP1956

Boat Length/Description									
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
CR, HB, SB	10-1/2 R 10	3	AL	376738	012027				Rubber Hub Bushing
17-19' - AL, SK	10-3/8 R 11-1/2	3	AL	385955	012023				
14-16' - AL, SK	10-3/8 R 12-1/2	3	AL	378580	012022				
14-16' - AL, SK	10-1/2 R 12	3	AL	380637	012024				
14-16' - LL	10-3/8 R 13-1/2	3	AL	378579	012025				
14-16' - LL	10-1/2 R 13	3	AL	384460	012028				
12-14' - LL	10-3/8 R 14	3	AL	378571	012026				

40-50 HORSEPOWER (4-STROKE)

Thru Hub Exhaust & 13 Tooth Spline

40 HP (4-Stroke)1999 & Newer 50 HP (4-Stroke)1999 & Newer

Boat Length/Description														
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	Dia. x Pitch	Bld#	RH	LH	
18-21' - AL	12-1/4 R 10	3	AL		032045		10-1/2 x 10	3	033093					Rubber Hub Bushing
18-21' - AL	12-1/4 R 10	3	AL		*031072									
17-19' - AL	12 R 11	3	AL		032044									
17-19' - AL	12 R 11	3	AL		*031073									
16-18' - LL	10-5/8 R 12	3	SS		113001		10-1/2 x 12	3	033094					
15-17' - LL	11-3/4 R 12	3	AL		032043									
14-16' - LL	11-1/2 R 13	3	AL		032042		10-1/2 x 13	3	033095	10-1/8 x 13	3	395929		
12-14' - LL	11-1/4 R 14	3	AL		032041		10-1/2 x 14	3	033096					
12-14' - LL	11 R 15	3	AL		032040		10-1/2 x 15	3	033097	10-1/8 x 15	3	395930		
12-14' - LL	10-3/4 R 16	3	AL		032039									



Boat Length/Description									
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.				
	12 R 8	4	AL		992401				Use XHS™ Hub Kit 115
	12 R 9	4	AL		992402				
18-21' - AL	12 R 10	4	AL	58100-95212-019	992403				
17-19' - AL	10-3/8 R 11	3	AL	58100-95222-019	992404				
16-18' - LL	10-3/8 R 12	3	AL	58100-95393-019	992405				
14-16' - LL	10-3/8 R 13	3	AL	58100-94313-019	992406				
12-14' - LL	10 R 14	3	AL	58100-95353-019	992407				
12-14' - LL	10 R 15	3	AL	58100-95363-019	992408				
12-14' - LL	10 R 16	3	AL	58100-95373-019	992409				

NEW VORTEX™ - AVAILABLE SPRING OF 2004 SEASON.

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

45-75 HORSEPOWER • LARGE GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

45 HP 2 Cyl. Commercial1986 & Newer	50 HP 2 Cyl. Pleasure1971-74	65 HP 3 Cyl. Pleasure1972-73
50 HP 2 Cyl. Commercial1977-79	50 HP 3 Cyl. Pleasure1994 & Newer	70 HP 3 Cyl. Pleasure1974 & Newer
55 HP 2 Cyl. Commercial1980 & Newer	55 HP 3 Cyl. Pleasure1968-69	75 HP 3 Cyl. Pleasure1975-84
65 HP 3 Cyl. Commercial1984 & Newer	60 HP 3 Cyl. Pleasure1970-71, 1986 & Newer	

Boat Length/Description											
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
16-18' - RB, SK	13-3/4 R 15	3	AL	391198	992103		13-1/4 x 15	3	993103		
15-17' - RB, SK	13-1/4 R 17	3	AL	391199	992104		13-1/4 x 17	3	993104		
14-16' - RB, SK	13 R 19	3	AL	390896	992105		13-1/4 x 19	3	993105		
13-15' - RB, SK	12-3/4 R 21	3	AL	389788	992106		13-1/4 x 21	3	993106		

Use XHS™
Hub Kit
106
Do NOT use Gearcase
Adapter Ring supplied
with propeller.

Boat Length/Description											
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
CR, HB	14 R 10	4	AL		012074						
CR, HB	14 R 10	4	AL		*011036						
CR, HB	14 R 11	3	AL	382761	012047						
CR, HB	14 R 11	3	AL		*011038						
CR, HB	14 R 13	3	AL	391668	*011001						
19-22' - AL	14 R 12	4	AL		012075						
19-22' - AL	14 R 12	4	AL		*011037						
17-19' - AL, SK	13-3/4 R 15	3	AL	391198	*011002		13-5/8 x 15	3	335030		
17-19' - AL, SK	13-3/4 R 15	3	SS	389949	013028						
15-18' - AL, SK	13-1/4 R 17	3	AL	391199	*011003		13-1/2 x 17	3	335031		
15-18' - AL, SK	13-3/8 R 17	3	SS	389948	013030						
15-18' - AL, SK	14 R 17	3	AL	176214	*011024						
14-16' - AL, SK	13 R 19	3	AL	390896	*011004		13-3/8 x 19	3	335032		
14-16' - AL, SK	13 R 19	3	SS	389510	013033						
14-16' - AL, SK	14 R 19	3	AL	176215	*011025						
13-15' - AL, SK	12-3/4 R 21	3	AL	389788	*011005		13-1/8 x 21	3	335033		
13-15' - AL, SK	12-3/4 R 21	3	SS	389512	013034						
13-15' - AL, SK	14 R 21	3	AL	176216	*011026						

Rubber
Hub
Bushing

60-90 HORSEPOWER

Non-Thru Hub Exhaust

V-4 HP 60, 65, 75, 80, 85, 90 . . .1960-68 ♦ Small Hub Prop uses special small nut #302001

Boat Length/Description											
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.						
17-19' - AL, SK	10 R 9-1/4	3	AL	379260	♦012042						
17-19' - AL, SK	10-1/4 R 10	3	AL	378040	012043						
16-17' - AL, SK	10 R 11	3	AL	377978	012044						
14-16' - AL, SK	10 R 12	3	AL	378039	012045						

Rubber
Hub
Bushing

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

- * Indicates a cupped propeller. ♦ If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.
- ♦ Available from Michigan Wheel Distributors - order part number 302001 (NP74)

100 HORSEPOWER

Non-Thru Hub Exhaust

100 HP1966-68

Boat Length/Description							Part No.			Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM						
20-24' - 1 Engine	14 R 11	3	AL	382676			012089			
20-24' - 1 Engine	14 R 12	3	AL	382017			012090			

85-140 HORSEPOWER • V-4 GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

85 HP1969-80, 1991-95 110 HP1986-89 125 HP1971-72
 88 HP1981-1996 112 HP1994-96 135 HP1973-76
 90 HP1981 & Newer 115 HP1973 & Newer 140 HP1977-94
 100 HP1979-80, 1988-93 120 HP1986-94

Boat Length/Description											Use XHS™ Hub Kit 106 Do NOT use Gearcase Adapter Ring supplied with propeller.
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
19-22' - RB, SK	13-3/4 R 15	3	AL	391198	992103		13-1/4 x 15	3	993103		
18-21' - RB, SK	13-1/4 R 17	3	AL	391199	992104		13-1/4 x 17	3	993104		
17-20' - RB, SK	13 R 19	3	AL	390896	992105		13-1/4 x 19	3	993105		
15-18' - RB, SK	12-3/4 R 21	3	AL	389788	992106		13-1/4 x 21	3	993106		

Boat Length/Description											Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
CR, HB	14 R 10	4	AL		012074						
CR, HB	14 R 10	4	AL		*011036						
CR, HB	14 R 11	3	AL	382761	012047						
CR, HB	14 R 11	3	AL		*011038						
CR, HB	14 R 12	4	AL		012075						
CR, HB	14 R 12	4	AL		*011037						
CR, HB	14 R 13	3	AL	391668	*011001						
20-24' -AL, SK	13-3/4 R 15	3	AL	391198	*011002		13-5/8 x 15	3	335030		
20-24' -AL, SK	13-3/4 R 15	3	SS	389949	013028						
19-22' -AL, SK	13-1/4 R 17	3	AL	391199	*011003		13-1/2 x 17	3	335031		
19-22' -AL, SK	13-3/8 R 17	3	SS	389948	013030						
19-22' -AL, SK	14 R 17	3	AL	176214	*011024						
17-19' -AL, SK	13 R 19	3	AL	390896	*011004		13-3/8 x 19	3	335032		
17-19' -AL, SK	13 R 19	3	SS	389510	013033						
17-19' -AL, SK	14 R 19	3	AL	176215	*011025						
15-18' -AL, SK	12-3/4 R 21	3	AL	389788	*011005		13-1/8 x 21	3	335033		
15-18' -AL, SK	12-3/4 R 21	3	SS	389512	013034						
15-18' -AL, SK	14 R 21	3	AL	176216	*011026						
High Performance							13-1/2 x 22	3	335034 (XL)		
High Performance							13-1/2 x 24	3	335035 (XL)		

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

* Indicates a cupped propeller.

* If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.

90-140 HORSEPOWER (4-STROKE)

90 HP (4-Stroke)2003 & Newer 115 HP (4-Stroke)2003 & Newer 140 HP (4-Stroke)2003 & Newer

Boat Length/Description											Use XHS™ Hub Kit 103
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
19-22' - RB, SK	13-3/4 R 15	3	AL	5033322	992103		13-1/4 x 15	3	993103		
18-21' - RB, SK	13-1/4 R 17	3	AL	5033323	992104		13-1/4 x 17	3	993104		
17-20' - RB, SK	13 R 19	3	AL	5033324	992105		13-1/4 x 19	3	993105		
15-18' - RB, SK	12-3/4 R 21	3	AL	5033325	992106		13-1/4 x 21	3	993106		

90-300 HORSEPOWER • V-6 GEARCASE (1976-90)

Thru Hub Exhaust & 15 Tooth Spline

100 HP V-4 Commercial1984-90 175 HP V-81977-90 275 HP V-81986-88
 120-140 HP V-41985 185 HP V-61984-85 300 HP V-81986-90
 140 (25") HP V-41989-90 200 HP V-81976-90 2.6 Liter V-61984-85
 150 HP V-61978-90 225 HP V-81986-90 3.6 Liter V-81986-87
 155 HP V-8 Commercial1978-90 235 HP V-61978-85

Boat Length/Description											Use XHS™ Hub Kit 101
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
Cruisers	15-1/4 R 15	3	AL	391535	992002		14-1/4 x 15	3	993002	993012	
20-26' - Runabouts	15 R 17	3	AL	177134	992003		14-1/4 x 17	3	993003	993013	
18-22' - Runabouts	14-1/2 R 19	3	AL	177135	992004		14-1/4 x 19	3	993004	993014	
16-20' - Runabouts	14-1/4 R 21	3	AL	177136	992005		14-1/4 x 21	3	993005	993015	
15-19' - Runabouts	14 R 23	3	AL	177137	992006		14-1/4 x 23	3	993006	993016	
							14-1/4 x 25	3	993007	993017	
21-26' - Runabouts	15 R 16	4	AL		992202						
19-22' - Runabouts	14-1/2 R 18	4	AL		992203						
17-20' - Runabouts	14 R 20	4	AL		992204						

Boat Length/Description											Rubber Hub Bushing
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH	
CR, HB	15-1/2 R 10	3	AL		011015						
CR, HB	15-1/2 R 13	3	AL	391536	011016						
CR, HB	15-1/2 R 15	3	AL	391535	011006						
CR, HB	15 R 15	3	SS	174926	013052		14-7/8 x 15	3	345031		
CR, HB	15 L 15	3	SS	174927	013051						
20-26' - AL, SK	15 R 17	3	AL	391200	011007		14-3/4 x 17	3	345032	345062	
20-26' - AL, SK	15 R 17	3	SS	391290	013044						
20-26' - AL, SK	15 L 17	3	SS	431930	013043						
18-22' - AL, SK	14-1/2 R 19	3	AL	391201	011008		14-1/2 x 19	3	345033	345063	
18-22' - AL, SK	14-1/2 R 19	3	SS	389924	013046						
18-22' - AL, SK	14-1/2 L 19	3	SS	390821	013045						
17-19' - AL, SK	14-1/4 R 21	3	AL	391202	011009		14-3/8 x 21	3	345034	345064	
17-19' - AL, SK	14-1/4 R 21	3	SS	389923	013048						
17-19' - AL, SK	14-1/4 L 21	3	SS	390822	013047						
15-18' - AL, SK	14-1/4 R 23	3	AL	391203	011010		14-1/4 x 25	3	345035	345065	
15-18' - AL, SK	14-1/4 R 23	3	SS	389019	013050						
High Performance							14-1/2 x 22	3	345041 (XL)		
High Performance							14-1/2 x 24	3	345037 (XL)		
High Performance							14-1/2 x 26	3	345038 (XL)		
High Performance 4 Blade Propellers • 15 Tooth Spline											
50-62 MPH	13-3/4 R 22	4	SS		013036		13-3/4 x 23	4	435035 (XL)		
55-67 MPH	13-3/4 R 24	4	SS		013038		13-3/4 x 25	4	435036 (XL)		
60-72 MPH							13-3/4 x 27	4	435037 (XL)		

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

† 2-1/2" of skeg must be removed for proper fit. Use thrust washer 33359.

► LIMITED INVENTORY ITEMS.

** Forward thrust washer A-9500-111 comes with propeller and replaces the standard OMC thrust washer, except when used on a 1991 or 1992. 1994 through current model engines use OMC thrust washer 12869.

90-300 HORSEPOWER • V-6 GEARCASE (1991 & NEWER) Thru Hub Exhaust & 15 Tooth Spline

90 HP V-4	1995 & Newer	150 HP V-6 Commercial	1993 & Newer	200 HP V-6	2000 & Newer
100 HP V-4 Commercial	1991 & Newer	150 HP V-6	1991 & Newer	225 HP V-6	1991 & Newer
115 HP V-4	1995 & Newer	155 HP V-6 Commercial	1991 & Newer	250 HP V-8	1991 & Newer
130 HP V-4	1995 & Newer	175 HP V-6	1991 & Newer	300 HP V-8	1991-95
140 (25") HP V-4	1991-94	200 HP V-6	1991 & Newer		

Boat Length/Description										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH
Cruisers	15-1/4 R 15	3	AL	391535	992002		14-1/4 x 15	3	993002	993012
20-26' - Runabouts	15 R 17	3	AL	177134	992003		14-1/4 x 17	3	993003	993013
18-22' - Runabouts	14-1/2 R 19	3	AL	177135	992004		14-1/4 x 19	3	993004	993014
16-20' - Runabouts	14-1/4 R 21	3	AL	177136	992005		14-1/4 x 21	3	993005	993015
15-19' - Runabouts	14 R 23	3	AL	177137	992006		14-1/4 x 23	3	993006	993016
							14-1/4 x 25	3	993007	993017
21-26' - Runabouts	15 R 16	4	AL		992202					
19-22' - Runabouts	14-1/2 R 18	4	AL		992203					
17-20' - Runabouts	14 R 20	4	AL		992204					

Use XHS™
Hub Kit
100

Boat Length/Description										
	Dia., Rot., Pitch	Bld#	Mat'l	OEM	Part No.		Dia. x Pitch	Bld#	RH	LH
CR, HB	15-1/2 R 10	3	AL		1011015					
CR, HB	15-1/2 R 13	3	AL	391536	011016					
CR, HB	15-1/2 R 15	3	AL	391535	011006					
CR, HB	15 R 15	3	SS	174926	013052		14-7/8 x 15	3	345031	
CR, HB	15 L 15	3	SS	174927	013051					
20-26' - AL, SK	15 R 17	3	AL	391200	011007		14-3/4 x 17	3	345032	345062
20-26' - AL, SK	15 R 17	3	SS	391290	013044					
20-26' - AL, SK	15 L 17	3	SS	431930	013043					
18-22' - AL, SK	14-1/2 R 19	3	AL	391201	011008		14-1/2 x 19	3	345033	345063
18-22' - AL, SK	14-1/2 R 19	3	SS	389924	013046					
18-22' - AL, SK	14-1/2 L 19	3	SS	390821	013045					
17-19' - AL, SK	14-1/4 R 21	3	AL	391202	011009		14-3/8 x 21	3	345034	345064
17-19' - AL, SK	14-1/4 R 21	3	SS	389923	013048					
17-19' - AL, SK	14-1/4 L 21	3	SS	390822	013047					
15-18' - AL, SK	14-1/4 R 23	3	AL	391203	011010		14-1/4 x 25	3	345035	345065
15-18' - AL, SK	14-1/4 R 23	3	SS	389019	013050					
High Performance							14-1/2 x 22	3	345041 (XL)	
High Performance							14-1/2 x 24	3	345037 (XL)	
High Performance							14-1/2 x 26	3	345038 (XL)	
High Performance 4 Blade Propellers										
50-62 MPH	13-3/4 R 22	4	SS		013036		13-3/4 x 23	4	435035 (XL)	
55-67 MPH	13-3/4 R 24	4	SS		013038		13-3/4 x 25	4	435036 (XL)	
60-72 MPH							13-3/4 x 27	4	435037 (XL)	

Rubber
Hub
Bushing

Key to abbreviations: AL: All Loads; CR: Cruisers; HB: Houseboat; HL: Heavy Loads; LL: Light Loads; RB: Runabouts; SB: Sailboat; SK: Skiboat; WB: Workboat; WD: Weedless

† 2-1/2" of skeg must be removed for proper fit. Use thrust washer 33359.

► LIMITED INVENTORY ITEMS.

** Forward thrust washer A-9500-111 comes with propeller and replaces the standard OMC thrust washer, except when used on a 1991 or 1992. 1994 through current model engines use OMC thrust washer 12869.